

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ✓
Roadway: ✓
Deck: ✓
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ✓
Caps/Piers: ✓
Backwalls: ✓
Wingwalls: N/A
Footings: N/A
Waterway: ✓
Embankment (Scour): ✓
Conc. Spall/Cracks: ✓

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what? No change, measurements were
taken with the transit level + tiltmeter.

Inspected By: Jeremie Grass + Brian Ogbe
Date: 2/8/2015

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ✓
Roadway: ✓
Deck: ✓
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ✓
Caps/Piers: ✓
Backwalls: N/A
Wingwalls: N/A
Footings: ✓
Waterway: ✓
Embankment (Scour): ✓
Conc. Spall/Cracks: ✓

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what? No change noted during visual inspection. Measurements taken with tiltmeter & transit level

Inspected By: _____
Date: 12-1-2013

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ✓
Roadway: ✓
Deck: ✓
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ✓
Caps/Piers: ✓
Backwalls: N/A
Wingwalls: N/A
Footings: N/A
Waterway: ✓
Embankment (Scour): ✓
Conc. Spall/Cracks: ✓

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what?

Measurements taken with transit
level + tiltmeter. No change per visual inspection

Inspected By: Steven Houze
Date: 1-25-2015

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
 Str. # 61042320104611 Recall # 051440 Route: LA 70
 Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ✓
 Roadway: ✓
 Deck: ✓
 Bearings: N/A
 Stringers: N/A
 Girders (Conc./Steel): N/A
 Piling: ✓
 Caps/Piers: ✓
 Backwalls: N/A
 Wingwalls: N/A
 Footings: N/A
 Waterway: ✓
 Embankment (Scour): ✓
 Conc. Spall/Cracks: ✓

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what? Measurements were taken with
filtrimeter & transit level, no changes were noted during visual
inspection

Inspected By: Steven Howze & Jeremy Grass
 Date: 1-18-2013

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: /
Roadway: /
Deck: /
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: /
Caps/Piers: /
Backwalls: N/A
Wingwalls: N/A
Footings: N/A
Waterway: /
Embankment (Scour): /
Conc. Spall/Cracks: /

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what?

No changes

Inspected By: Jerome Grass & Steven Hawze
Date: 1/11/2013

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ✓
Roadway: ✓
Deck: ✓
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ✓
Caps/Piers: ✓
Backwalls: N/A
Wingwalls: N/A
Footings: N/A
Waterway: ✓
Embankment (Scour): ✓
Conc. Spall/Cracks: ✓

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what?

No changes

Inspected By: Jeremy Gross + Steven Howze
Date: 1/4/2013

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ✓
Roadway: ✓
Deck: ✓
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ✓
Caps/Piers: ✓
Backwalls: N/A
Wingwalls: N/A
Footings: N/A
Waterway: ✓
Embankment (Scour): ✓
Conc. Spall/Cracks: ✓

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what?

No changes

Inspected By:

Steve House + Terene Gross

Date:

12/28/12

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ✓
Roadway: ✓
Deck: ✓
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ✓
Caps/Piers: ✓
Backwalls: N/A
Wingwalls: N/A
Footings: N/A
Waterway: ✓
Embankment (Scour): ✓
Conc. Spall/Cracks: ✓

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what?

Tilt o meter was used. Elevations
were taken on both sides of structure. Visual inspection
was performed.

Inspected By: Steven Houze + Terene Grass

Date: 12/21/12

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ☒
Roadway: ☒
Deck: ☒
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ☒
Caps/Piers: ☒
Backwalls: N/A
Wingwalls: N/A
Footings: N/A
Waterway: ☒
Embankment (Scour): ☒
Conc. Spall/Cracks: ☒

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what?

Tilt - g-meter was used, readings
were recorded. Elevation readings were taken on both
sides of structure. The largest difference was 0.01. Visual
inspection was also completed.

Inspected By: Steven Houze & Jereme Grass
Date: 12/14/12

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ☒
Roadway: ☒
Deck: ☒
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ☒
Caps/Piers: ☒
Backwalls: N/A
Wingwalls: N/A
Footings: N/A
Waterway: ☒
Embankment (Scour): ☒
Conc. Spall/Cracks: ☐

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what?

Tilt a meter was used on structure, readings
were recorded into data base. Elevation readings were also taken on
both sides of structure. The largest difference noted was 0.02. Visual
inspection was completed upon this visit.

Inspected By: Steven Howze & Brian Ogle
Date: 12/7/12

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ✓
Roadway: ✓
Deck: ✓
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ✓
Caps/Piers: ✓
Backwalls: N/A
Wingwalls: N/A
Footings: N/A
Waterway: ✓
Embankment (Scour): ✓
Conc. Spall/Cracks:

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what?

Tilt o meter was used on structure, readings
were recorded into database. Visual inspection was also completed at
this time.

Inspected By: Steven Howze & Brian Ogle
Date: 11/30/12

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ✓
Roadway: ✓
Deck: ✓
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ✓
Caps/Piers: ✓
Backwalls: N/A
Wingwalls: N/A
Footings: N/A
Waterway: ✓
Embankment (Scour): ✓
Conc. Spall/Cracks:

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or (NO)

Any changes noted? If so what? Elevation readings were taken on both
sides of the structure. The largest difference that was noted was
0.01

Inspected By: Steven Howze & Brian Ogle
Date: 11/21/12

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ✓
Roadway: ✓
Deck: ✓
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ✓
Caps/Piers: ✓
Backwalls: N/A
Wingwalls: N/A
Footings: N/A
Waterway: ✓
Embankment (Scour):
Conc. Spall/Cracks:

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what? Elevation readings were taken on both sides
of structure. 0.02 was the largest difference that was noted.

Inspected By: Brian Ogle, Jereme Grass, Steven Howze
Date: 11/16/12

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ✓
Roadway: ✓
Deck: ✓
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ✓
Caps/Piers: ✓
Backwalls: ✓
Wingwalls: ✓
Footings: N/A
Waterway: ✓
Embankment (Scour): ✓
Conc. Spall/Cracks: ✓

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what? No Change. There was less
than .02" change from previous elevation reading

Inspected By: Ryan Byrd & Steven Howze
Date: 11-29-12

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ☒
Roadway: ☒
Deck: ☒
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ☒
Caps/Piers: ☒
Backwalls: ☒
Wingwalls: ☒
Footings: N/A
Waterway: ☒
Embankment (Scour): ☒
Conc. Spall/Cracks: ☒

√ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what?

No changes. There was less
than a 0.03" difference from August 30 elevation readings.

Inspected By:

Steven House & Ben Blunski

Date:

11-2-12

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ✓
Roadway: ✓
Deck: ✓
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ✓
Caps/Piers: ✓
Backwalls: ✓
Wingwalls: ✓
Footings: N/A
Waterway: ✓
Embankment (Scour): ✓
Conc. Spall/Cracks: ✓

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what?

Bridge elevations were taken on
both sides of the structure at each bent. There was less
than a 0.02" difference from Aug 30 readings. A visual inspection
was performed. No evidence of bridge settlement noted.

Inspected By: Steven Howze + Ben Blumrich
Date: 10/26/12

WEEKLY CURSORY INSPECTION

Parish: Assumption Str. Type: COSLAB
Str. # 61042320104611 Recall # 051440 Route: LA 70
Bridge Name/Feature Crossed: Bayou Choupique

Approaches: ☒
Roadway: ☒
Deck: ☒
Bearings: N/A
Stringers: N/A
Girders (Conc./Steel): N/A
Piling: ☒
Caps/Piers: ☒
Backwalls: ☒
Wingwalls: ☒
Footings: N/A
Waterway: ☒
Embankment (Scour): ☒
Conc. Spall/Cracks: ☒

✓ - If element of structure was inspected

N/A - If element does not apply to structure

Were Pictures Taken: YES or NO

Any changes noted? If so what?

Bridge elevations were taken on
both sides of the structure at each bent. There was
less than a 0.01" ~~change~~ difference from Aug 20 readings. A visual
inspection was performed. No evidence of bridge settlement. ~~was~~

Inspected By: Steven Howe & Brian Oglet
Date: 10/19/12